Contents

No 1 *FEBRUARY 1981* PAGE

Relative importance of cigarette smoking in occupational lung disease
P C Elmes .. 1

An experimental study on the combined effects of *n*-hexane and toluene on the peripheral nerve of the rat
Y Takeuchi, Y Ono, and N Hisanaga .. 14

Urinary excretion of the metabolites of *n*-hexane and its isomers during occupational exposure
L Perbellini, F Brugnone, and G Faggionato .. 20

Soft-tissue sarcomas and exposure to chemical substances: a case-referent study
M Eriksson, L Hardell, N O Berg, T Möller, and O Axelson .. 27

Lung function of office workers exposed to humidifier fever antigen
I Ashton, A T Axford, C Bevan, and J E Cotes .. 34

Laboratory animal allergy: a clinical survey of an exposed population
A J M Slovak and R N Hill .. 38

Intrabronchial instillation of paraquat in rats: lung morphology and retention study
I Wyatt, A W Doss, D C Zavala, and L L Smith .. 42

Occupational exposure to polychlorinated biphenyls in electrical workers. I Environmental and blood polychlorinated biphenyls concentrations
M Maroni, A Colombi, Susanna Cantoni, E Ferioli, and V Foa .. 49

Occupational exposure to polychlorinated biphenyls in electrical workers. II Health effects
M Maroni, A Colombi, G Arbosti, Susanna Cantoni, and V Foa .. 55

Concentrations of lead in the tissues of children
P S I Barry .. 61

Scanning electron-microscopic and light-optics investigations of erythrocytes in toxic anaemia
V D Arutjunov, Ju D Batsura, I A Gribova, and G G Kruglikov .. 72

Chronic cadmium poisoning in a pigment manufacturing plant
P E de Silva and M B Donnan .. 76

Locally induced digital vasospasm detected by delayed rewarming in Raynaud's phenomenon of occupational origin
C Juul and S L Nielsen .. 87

Induction of microsomal drug metabolism in man and in the rat by exposure to petroleum
A W Harman, D B Frewin, and B G Priestly .. 91

Correlation of urinary thioethers with chemical exposure in a rubber plant
I Kilpikari .. 98

Information section .. 101

No 2 *MAY 1981*

Quinonoid constituents as contact sensitisers in Australian blackwood (Acacia melanoxylon RBR)
B M Hausen and H Schmalle .. 105

A study of the health of Malaysian plantation workers with particular reference to paraquat spraymen
J K Howard, N N Sabapathy, and P Anne Whitehead .. 110

Health of workmen in the chromate-producing industry in Britain
M R Alderson, N S Rattan, and L Bidstrup .. 117

Relation between progressive massive fibrosis, emphysema, and pulmonary dysfunction in coalworkers' pneumoconiosis
J P Lyons and H Campbell .. 125

Mortality of workers certified by pneumoconiosis medical panels as having asbestosis
G Berry .. 130

Prevalence of byssinosis in Swedish cotton mills
P Haglind, Monica Lundholm, and R Rylander .. 138

An investigation of operating theatre staff exposed to humidifier fever antigens
A Cockcroft, J Edwards, C Bevan, I Campbell, G Collins, K Houston, D Jenkins, S Latham, M Saunders, and D Trotman .. 144

Ventilatory function changes over a workshift
H D Dimich and T D Sterling .. 152

Contents

No 1 *FEBRUARY 1981* PAGE

Relative importance of cigarette smoking in occupational lung disease
P C Elmes .. 1

An experimental study on the combined effects of *n*-hexane and toluene on the peripheral nerve of the rat
Y Takeuchi, Y Ono, and N Hisanaga .. 14

Urinary excretion of the metabolites of *n*-hexane and its isomers during occupational exposure
L Perbellini, F Brugnone, and G Faggionato .. 20

Soft-tissue sarcomas and exposure to chemical substances: a case-referent study
M Eriksson, L Hardell, N O Berg, T Möller, and O Axelson .. 27

Lung function of office workers exposed to humidifier fever antigen
I Ashton, A T Axford, C Bevan, and J E Cotes .. 34

Laboratory animal allergy: a clinical survey of an exposed population
A J M Slovak and R N Hill .. 38

Intrabronchial instillation of paraquat in rats: lung morphology and retention study
I Wyatt, A W Doss, D C Zavala, and L L Smith .. 42

Occupational exposure to polychlorinated biphenyls in electrical workers. I Environmental and blood polychlorinated biphenyls concentrations
M Maroni, A Colombi, Susanna Cantoni, E Ferioli, and V Foa .. 49

Occupational exposure to polychlorinated biphenyls in electrical workers. II Health effects
M Maroni, A Colombi, G Arbosti, Susanna Cantoni, and V Foa .. 55

Concentrations of lead in the tissues of children
P S I Barry .. 61

Scanning electron-microscopic and light-optics investigations of erythrocytes in toxic anaemia
V D Arutjunov, Ju D Batsura, I A Gribova, and G G Kruglikov .. 72

Chronic cadmium poisoning in a pigment manufacturing plant
P E de Silva and M B Donnan .. 76

Locally induced digital vasospasm detected by delayed rewarming in Raynaud's phenomenon of occupational origin
C Juul and S L Nielsen .. 87

Induction of microsomal drug metabolism in man and in the rat by exposure to petroleum
A W Harman, D B Frewin, and B G Priestly .. 91

Correlation of urinary thioethers with chemical exposure in a rubber plant
I Kilpikari .. 98

Information section .. 101

No 2 *MAY 1981*

Quinonoid constituents as contact sensitisers in Australian blackwood (Acacia melanoxylon RBR)
B M Hausen and H Schmalle .. 105

A study of the health of Malaysian plantation workers with particular reference to paraquat spraymen
J K Howard, N N Sabapathy, and P Anne Whitehead .. 110

Health of workmen in the chromate-producing industry in Britain
M R Alderson, N S Rattan, and L Bidstrup .. 117

Relation between progressive massive fibrosis, emphysema, and pulmonary dysfunction in coalworkers' pneumoconiosis
J P Lyons and H Campbell .. 125

Mortality of workers certified by pneumoconiosis medical panels as having asbestosis
G Berry .. 130

Prevalence of byssinosis in Swedish cotton mills
P Haglind, Monica Lundholm, and R Rylander .. 138

An investigation of operating theatre staff exposed to humidifier fever antigens
A Cockcroft, J Edwards, C Bevan, I Campbell, G Collins, K Houston, D Jenkins, S Latham, M Saunders, and D Trotman .. 144

Ventilatory function changes over a workshift
H D Dimich and T D Sterling .. 152

Contents

Hanford radiation study III: a cohort study of the cancer risks from radiation to workers at Hanford (1944-77 deaths) by the method of regression models in life-tables
G W Kneale, T F Mancuso, and Alice M Stewart 156
Lymphocyte reactivity of workers exposed to carcinogenic and non-carcinogenic chemicals
S Kumar, G Taylor, Wendy Hurst, P Wilson, and C B Costello 167
Urinary β_2 microglobulin in the biological monitoring of cadmium workers
Morag Stewart and E G Hughes 170
Arginase and kallikrein activities as biochemical indices of occupational exposure to lead
Jadwiga Chmielnicka, Elżbieta Komsta-Szumska, and Jadwiga A Szymańska 175
Arsenic and selenium in lung, liver, and kidney tissue from dead smelter workers
P O Wester, D Brune, and G Nordberg 179
Renal cadmium overload without nephrotoxicity
R R Ghose, W D Morgan, and P E Cummins 185
Enhanced excretion of thioethers in urine of operators of chemical waste incinerators
R van Doorn, CH-M Leijdekkers, R P Bos, R M E Brouns, and P TH Henderson .. 187
Search for benzidine and its metabolites in urine of workers weighing benzidine-derived dyes
P F Meal, J Cocker, H K Wilson, and J M Gilmour 191
Experimental exposure to toluene: further consideration of cresol formation in man
W Woiwode and K Drysch 194
For discussion
Assessment of risk by biological monitoring
D Gompertz 198
Notes and miscellanea
Hanford radiation study
S C Darby and J A Reissland 202
Book reviews 204
Notice 204
Information section 205

No 3 *AUGUST 1981*

Determination of lead in plasma and studies on its relationship to lead in erythrocytes
P E Desilva 209
Nasal cancer in England and Wales: an occupational survey
E D Acheson, R H Cowdell, and E H Rang 218
An epidemiological survey of eight oil refineries in Britain
L Rushton and M R Alderson 225
Mortality of nickel workers: experience of men working with metallic nickel
J E Cox, R Doll, W A Scott, and S Smith 235
A case-control study of bladder cancer in the United States rubber and tyre industry
H Checkoway, A H Smith, A J McMichael, F S Jones, R R Monson, and H A Tyroler .. 240
Mortality of United Kingdom acrylonitrile polymerisation workers
J B Werner and J T Carter 247
Classification of chest radiographs for epidemiological purposes by people not experienced in the radiology of pneumoconiosis
Liz Copland, J Burns, and M Jacobsen 254
Behaviour of indicators of exposure and effect after cessation of occupational exposure to lead
L Alessio, M R Castoldi, P Odone, and I Franchini 262
Erythrocyte factors concerned in the inhibition of ALA-D by lead
T Sakai, S Yanagihara, and K Ushio 268
Ventilatory function in Nigerian coal miners
B L Jain and J M Patrick 275
Hand-arm vibration in the aetiology of hearing loss in lumberjacks
I Pyykkö, J Starck, M Färkkilä, M Hoikkala, O Korhonen, and M Nurminen 281
First report of byssinosis in Hong Kong
P G M Morgan and S G Ong 290

Contents

Castor bean allergy in the upholstery department of a furniture factory
M D Topping, F H Tyrer, and R K Lowing 293
Lead accumulation in teeth as a function of age with different exposures
Anne Steenhout and M Pourtois 297
Thin-layer chromatography of hippuric and m-methylhippuric acid in urine after mixed exposure to toluene and xylene
Grażyna Bieniek and T Wilczok 304
Book reviews 307
Notice 308
Information section 309

No 4 *NOVEMBER 1981*
Relationship between type of simple coalworkers' pneumoconiosis and lung function. A nine-year follow-up study of subjects with small rounded opacities
A W Musk, J E Cotes, Carol Bevan, and M J Campbell 313
Factors predisposing to the development of progressive massive fibrosis in coal miners
D H Shennan, J S Washington, D J Thomas, J A Dick, Y S Kaplan, and J G Bennett .. 321
Respiratory cancer in a cohort of nickel sinter plant workers
A Chovil, R B Sutherland, and Mabel Halliday 327
Sensitisation against environmental antigens and respiratory symptoms in swine workers
Marja-L Katila, R A Mäntyjärvi, and Tarja H Ojanen 334
Ventilatory function in workers exposed to tea and wood dust
Y S Zuhair, C J Whitaker, and F F Cinkotai 339
Acute behavioural effects of styrene exposure: a further analysis
Nicola Cherry, B Rodgers, Helen Venables, H A Waldron, and G G Wells 346
Some observations on workers exposed to methylene chloride
Nicola Cherry, Helen Venables, H A Waldron, and G G Wells 351
Occupational and individual factors in acute shoulder-neck disorders among industrial workers
A Bjelle, M Hagberg, and G Michaelsson 356
Magnitude and distribution of trunk stresses in telecommunications engineers
A S Nicholson, P R Davis, and N J Sheppard 364
Testicular function among epichlorohydrin workers
T H Milby, M D Whorton, H A Stubbs, C E Ross, R E Joyner, and L I Lipshultz .. 372
A study of the mortality of Cornish tin miners
A J Fox, P Goldblatt, and L J Kinlen 378
Screening for occupational vitiligo in workers exposed to hydroquinone monomethyl ether and to paratertiary-amyl-phenol
J J O'Sullivan and C J Stevenson 381
Non-invasive magnetopneumographic determination of lung dust loads in steel arc welders
A P Freedman, S E Robinson, Kathleen O'Leary, L Goodman, and Jeanne M Stellman .. 384
A technique to prepare asbestos air samples for light and electron microscopy
T W S Pang and Ann E Robinson 389
Cotton bacterial endotoxin assessed by electron microscopy
I Helander and K Lounatmaa 394
Notes and miscellanea: Silicosis 397
Information section 398
Index to volume 401
Correction: Relation between progressive massive fibrosis, emphysema, and pulmonary dysfunction in coalworkers' pneumoconiosis (May 1981, p 125-9) 333
Correction: Health of workmen in the chromate-producing industry in Britain (May 1981, p 117-24) 333